



INNOVATIVE IDEAS
EXCEPTIONAL DESIGN
UNMATCHED CLIENT SERVICE


New Carlisle Crosswalk Study
Tech Memo

Appendix D – Pedestrian Hybrid Guidelines

Figure 4F-1. Guidelines for the Installation of Pedestrian Hybrid Beacons on Low-Speed Roadways

Main St @ Jefferson St.

TOTAL OF ALL PEDESTRIANS CROSSING THE MAJOR STREET - PEDESTRIANS PER HOUR (PPH)




MAJOR STREET - TOTAL OF BOTH APPROACHES - VEHICLES PER HOUR (VPH)

*Note: 20 pph applies as the lower threshold volume

Figure 4F-1. Guidelines for the Installation of Pedestrian Hybrid Beacons on Low-Speed Roadways

Main St @ Mid-block Between Jefferson St. & Washington St.

TOTAL OF ALL PEDESTRIANS CROSSING THE MAJOR STREET - PEDESTRIANS PER HOUR (PPH)




MAJOR STREET - TOTAL OF BOTH APPROACHES - VEHICLES PER HOUR (VPH)

*Note: 20 pph applies as the lower threshold volume

Figure 4F-1. Guidelines for the Installation of Pedestrian Hybrid Beacons on Low-Speed Roadways

Main St @ Washington St.

TOTAL OF ALL PEDESTRIANS CROSSING THE MAJOR STREET - PEDESTRIANS PER HOUR (PPH)




MAJOR STREET - TOTAL OF BOTH APPROACHES - VEHICLES PER HOUR (VPH)

*Note: 20 pph applies as the lower threshold volume

Figure 4F-1. Guidelines for the Installation of Pedestrian Hybrid Beacons on Low-Speed Roadways

Main St @ Jackson St.

TOTAL OF ALL PEDESTRIANS CROSSING THE MAJOR STREET - PEDESTRIANS PER HOUR (PPH)



MAJOR STREET - TOTAL OF BOTH APPROACHES - VEHICLES PER HOUR (VPH)

*Note: 20 pph applies as the lower threshold volume